



399.00 FUR

incl. 19% VAT, plus shipping

- ECS G11-21ERS6BE-1
- WLAN 802.11 b/g/n
- Barebone!

Support: Specifications [EN]

ECS G11 equipped with Intel's latest Sandy Bridge plateform based on H61 express chipset delivers a speady and stable processing for multitasking. With large 21.5" touch panel, full HD 1080p support and HDMI compatibility, G11 maximizes your Windows 7, gives your hite best support on entertainment and games, and makes life more fun through the power of touch. G11 is hite bst PC solution for individual, family, government, and school solution.

For a full PC you need in addition:

- Intel Core i3/i5/i7 Mobile CPU (Sandy Brdige, LGA1155)
- 1x SO-DDR-III RAM
- 1x 3.5" HDD (or 2.5" HDD/SSD)
- 1x Slimline CD/DVD-drive

Features:

- Support Intel Sandy Brdige Core i3 / i5 / i7
- 2 x SO-DIMM DDR3 800/1066/1333 up to 18GB
- 21.5" FullHD 1080p Multi-Touch LED TFT
- HDMI
- 6-in-1 Card Reader (SD/SDHC/MS/MS Pro)
- WLAN 802.11 b/g/n
- Built-In speakers, microphone and camera
- With stand and VESA-mounting holes

Dimensions / Weight

CPU

Chipset / FSB

RAM

Graphics

Audio/Video

TFT

Expansion

565mm W x 440mm D x 60mm H, 1.4kg Intel Core i3, i5, i7 (max. 65W TDP)

Sandy Bridge LGA1155

Intel H61 Express

2x Dual-Channel SO-DDR-3 RAM (up to 16GB 1066/1333)

Intel HD Graphics 2.5W Speakers

1.3MP Camera with digital Mic

Native resolution : 1920x1080 Brightness : 300cd/m²

Viewing angle 160°/160°

Anti Glare

10-Finger resistive Multi-Touch

- 1x Mini-PCIe (occupied by WLAN card)



OS Support

Chassis I/O

Drive bays

Mainboard (Thin-ITX) I/O

Compliance

Scope of supply

Windows 7

2 x USB 2.0

2x Audio (1x Headphone, 1x Mic)

1x 6 in 1 Card Reader

1 x 3.5" SATA HDD drive bay

1 x Slim-Line CD/DVD drive bay

1 x DC JACK for DC19V single power input

1 x HDMI Out

1 x RJ-45 GbE port

4x USB 2.0

RoHS 2.0, Energy Star, E-Standby, AUS/NZ Compliance, ErP Compliance, EPEAT

- ECS G11 AIO-PC Barebone (G11-21ERS6BE-1 with H61H-G11 MB) with Halterung

- Mini-PCIe WLAN card (802.11 b/g/n) + Antenna
- AC/DC Adapter (19V, 150W) + EU power cord

System noise:

- -Idle < 26dBA
- -3Dmark < 32dBA
- -Max 80%/Ther 85% < 35dBA







